

SECRET

DISTRIBUTION:

REL	_____
HLH	_____
WLS	_____
RCL	_____
RDS	_____

COPY #1
COPY #2CCD
OPS ✓

12 DEC 1947

NO PARAPHRASE NECESSARY

AGK

SERVICE MESSAGE**SECRET**

25X1A

RE WASH (OUT). ARRIVAL NEW FOREIGN SERVICE SECURITY OFFICER HERE HAS FORCED NEW ~~SMX~~ SUMMATION OF RISKS AT THIS STATION. SECURITY OFFICER EMPHASIZES DANGER OF RIOTERS OR SABOTEURS DESTROYING RECEIVING STATION SEPARATED FROM MAIN STREET BY MUD WALL ONLY. I AGREE. SECONDLY, LOSS OF ONE MAN THROUGH SICKNESS WOULD PROBABLY CLOSE TTY 25X1A CIRCUIT. THIRD, DESPITE RECENT EXTRAORDINARY COOPERATION FROM THEY CANNOT BE COUNTED UPON FOR SECURITY WATCHES IN WAY OUR OWN STATION COULD. TOO MUCH HANGS ON EQUIPMENT AND PERSONNEL OF TTY CIRCUIT. WE COULD GET OUT TO WASHINGTON IN ALMOST ANY EVENTUALITY EITHER DIRECT OR 25X1A IF MANUAL CIRCUIT WERE ESTABLISHED. IF YOU NEED TO APPLY PRESSURE ANYWHERE TO EXPEDITE MANUAL CIRCUIT WILL REPEAT THIS MSG VIA COMMAND. SECURITY OFFICER WILL ALSO BE GLAD TO APPLY PRESSURE THROUGH STATE DEPARTMENT. WE ARE NOW SET UP FOR MANUAL CIRCUIT IN CASE TOTAL DESTRUCTION OF EITHER OR BOTH PARTS OF MAIN INSTALLATION. RE YOUR PARAS 1 AND 2. WILL NOT PUT UP TEMPORARY ANTENNAS UNTIL QUITE CLEAR THAT YOU WILL BE READY BEFORE THE NEW BEAMS ARRIVE. RE YOUR PARA 3.

25X1A CALLS AS POSSIBLE WOULD BE IDEAL. 25X1A COULD YOU SET UP SECURITY WATCH FOR US AT AND COME IN WITHOUT 25X1A CALLS OR AUTHORIZATION IN CASE OF SEVERE TROUBLE HERE? ALSO COULD WE HAVE SERVICE CIPHER WITH FOR PURPOSE OF SPECIFIC EMERGENCY ~~RECEIVED~~

SECRET

SECRET

ALERTS BYPASSING WASHINGTON? DO NOT MISINTERPRET. TO BEST OF MY
KNOWLEDGE QUITE SAFE AT PRESENT BUT

25X1A

25X1A

1952Z 12 DEC 1947

SECRET